

List of publications from 1972 to 2020 years

S. I. MANAYENKOV

*NRC "Kurchatov Institute" - PNPI,
Gatchina, Leningrad region, 188300, Russia*

References

- [1] S. I. Manayenkov: Perturbation theory for resonance and virtual levels (in Russian), *Theor. and Mathem. Fiz.* **12** (1972) 397-406.
- [2] S. I. Manayenkov: Emission of γ -quanta with nuclei excited with high energy hadrons (in Russian), *ZETPh Letters* **18** (1973) 535-538.
- [3] S. I. Manayenkov: Excitation of individual levels in ^{16}O with protons at energy 1 GeV (in Russian), *ZETPh Letters* **19** (1974) 593-597.
- [4] S. I. Manayenkov: Glauber approximation and problem of diffraction minima (in Russian), *ZETPh Letters* **20** (1974) 758-762.
- [5] S. I. Manayenkov: γ -radiation of nuclei excited with high energy hadrons (in Russian), *Yad. Fiz.* **20** (1974) 677-689.
- [6] S. I. Manayenkov: Study of NN amplitude in nucleon-nucleus scattering experiments at high energies (in Russian), *Yad.Fiz.* **26** (1977) 302-311.
- [7] S. I. Manayenkov: Fresnel, eikonal and nonadiabatic corrections to hadron- nucleus amplitude (in Russian), *Yad.Fiz.* **27** (1978) 352-361.
- [8] S. I. Manayenkov: Study of NN amplitude in reaction $p, p'\gamma$ at intermediate energies (in Russian), proceedings of the national seminar "Program of experimental studies at Moscow meson facility of INR of Academy of Science of USSR" held at Zvenigorod, 7-9 December 1977, p.150-154, Moscow, 1979.
- [9] S. I. Manayenkov: Polarization of protons in excitation of natural parity nuclear levels in ^{12}C and ^{16}O at $T_p = 1$ GeV (in Russian), *ZETPh Letters* **30** (1979) 360-364.
- [10] S. I. Manayenkov: Polarization of protons in excitation of natural parity nuclear levels in light nuclei at $E_{lab} = 1$ GeV (in Russian), *Yad. Fiz.* **31** (1980) 359-370.

- [11] S. I. Manayenkov: Description of small angle p- ${}^4\text{He}$ scattering in energy range of 400-1000 MeV (in Russian), Preprint LNPI No 812, 49 p., 1982.
- [12] Yu. L. Dokshitser, S. I. Manayenkov: Quantum chromodynamics for beginners: colour algebra (in Russian), LNPI preprint, No 1103, 66 p., Leningrad, 1985.
- [13] A. V. Dobrovolsky, A. V. Khanzadeev, G. A. Korolev, S. I. Manayenkov, J. Saudinos, G. N. Velichko, A. A. Vorobyov: Elastic scattering of protons from Helium nucleus in energy range 700-1000 MeV (in Russian), *Yad. Fiz.* **42** (1985) 1325-1336.
- [14] S. I. Manayenkov: Charge form factor of ${}^4\text{He}$ in non-relativistic quark model (in Russian), Preprint LNPI No 1208, 57 p., 1986.
- [15] N. P. Aleshin, S. L. Belostotsky, Yu. V. Dotsenko, O. G. Grebenyuk, L. M. Kochenda, L. G. Kudin, N. P. Kuropatkin, S. I. Manayenkov, O. V. Miklukho, V. N. Nikulin, O. E. Prokofiev, A. Yu. Tsaregorodtsev, S. S. Volkov, J. Erö, J. Kecskemeti, Zc. Kovacs, Z. Seres: Study of proton-deuteron break-up reaction in exclusive experiment at 1 GeV, Preprint KFK-1987-47/A, 12 p., Budapest, 1987.
- [16] S. I. Manayenkov: Quark statistics effects on charge form factor of ${}^4\text{He}$ nucleus (in Russian), proceedings of International seminar "Microscopical methods in theory of few body systems" held at Kalinin 15-21 August 1988, p. 86-89, Kalinin, 1988.
- [17] S. I. Manayenkov: Effects of quark statistics on charge form factor of ${}^4\text{He}$ nucleus, LNPI research report 1988-1989, p. 88-89, Leningrad, 1990.
- [18] S. I. Manayenkov: Manifestation of quark Fermi statistics on charge form factor of ${}^4\text{He}$ nucleus (in Russian), *Yad. Fiz.* **48** (1988) 1260-1272.
- [19] S. L. Belostotsky, O. G. Grebenyuk, S. I. Manayenkov: Polarization observables of reaction (p, 2p) on polarized nuclei d and ${}^3\text{He}$ in impulse approximation as test for study of D/S ratio (in Russian), Preprint LNPI No 1534, 25 p., Leningrad, 1989.
- [20] S. I. Manayenkov, V. V. Nelyubin: Measurement of ratio of amplitudes E_{1+}/M_{1+} in reaction $\gamma N \rightarrow \pi N$ as test of baryon structure (in Russian), *Problems of Atomic Science and Technology*, Ser. Theory and Experiment **8** (1989) 7-10.
- [21] N. P. Aleshin, S. L. Belostotsky, Yu. V. Dotsenko, J. Erö, O. G. Grebenyuk, J. Kecskemeti, L. M. Kochenda, Zc. Kovacs, L. G. Kudin, N. P. Kuropatkin, S. I. Manayenkov, O. V. Miklukho, V. N. Nikulin, O. E. Prokofiev, A. Yu. Tsaregorodtsev, S. S. Volkov: Polarization in quasi-elastic deuteron disintegration $pd \rightarrow ppn$ at energy 1 GeV (in Russian), LNPI preprint No 1259, 38 p., Leningrad, 1987.
- [22] O. G. Grebenjuk, A. V. Khanzadeev, G. A. Korolev, S. I. Manayenkov, J. Saudinos, G. N. Velichko, and A. A. Vorobyov: Elastic pd and p ${}^4\text{He}$ scattering at intermediate energies, *Nucl. Phys.* **A500** (1989) 637-652.

- [23] N. P. Aleshin, S. L. Belostotsky, Yu. V. Dotsenko, O. G. Grebenyuk, L. M. Kochenda, L. G. Kudin, N. P. Kuropatkin, S. I. Manayenkov, O. V. Miklukho, V. N. Nikulin, O. E. Prokofiev, A. Yu. Tsaregorodtsev, S. S. Volkov, J. Erö, J. Kecskemeti, P. Koncs, Zc. Kovacs, Z. Seres: Study of proton-deuteron break-up reaction in complete kinematics at 1 GeV, *Phys. Lett.* **B237** (1990) 29-32.
- [24] N. P. Aleshin, S. L. Belostotsky, O. G. Grebenyuk, V. A. Gordeev, E. N. Komarov, L. M. Kochenda, V. I. Lasarev, S. I. Manayenkov, O. V. Miklukho, V. V. Nelyubin, V. N. Nikulin, O. E. Prokofiev, V. V. Sulimov, V. V. Vikhrov: Study of the deuteron structure in quasi-elastic break-up reaction $p d \rightarrow p p n$ in complete kinematics at LNPI Synchrocyclotron (in Russian), LNPI preprint , No 1740, 37 p., Leningrad, 1991.
- [25] S. I. Manayenkov: Elastic $p - {}^4\text{He}$ scattering at intermediate energies (in Russian), PNPI preprint, No 1795, 46 p., St.-Petersburg, 1992.
- [26] S. I. Manayenkov: Elastic $p - {}^4\text{He}$ scattering at intermediate energies, PNPI research report 1990-1991, p.102-104, St.Petersburg, 1992.
- [27] S. I. Manayenkov: Elastic $p - {}^4\text{He}$ scattering at intermediate energies, proceedings of the workshop on elastic and diffractive scattering ("Hadrons-92") held at Kiev September 1-5 1992, p. 113-120, ed. by L.Jenkovsky and E.Martynov, Kiev, 1992.
- [28] S. I. Manayenkov: Elastic $p - {}^4\text{He}$ scattering at intermediate energies, *Yad. Fiz.* **56** (1993) 126-129.
- [29] N. P. Aleshin, S. L. Belostotsky, O. G. Grebenyuk, V. A. Gordeev, E. N. Komarov, L. M. Kochenda, V. I. Lasarev, S. I. Manayenkov, O. V. Miklukho, V. V. Nelyubin, V. N. Nikulin, O. E. Prokofiev, V. V. Sulimov, V. V. Vikhrov, A. Boudard, J. M. Laget: Study of the deuteron structure in quasi-elastic break-up reaction $p d \rightarrow p p n$ at 1 GeV, Preprint Saclay, DAPHNIA/SPhN, 9303, 18 p., 1993.
- [30] S. I. Manayenkov: Study of parton spin-dependent distributions using handedness concept, proceedings of the workshop on soft physics, Novy Svit, Crimea, May 12-18 1993, p.18-25, Kiev, 1993.
- [31] S. L. Belostotsky, S. I. Manayenkov, M. G. Ryskin: Study of parton spin-dependent distributions in hard proton-proton collisions at HERA, PNPI preprint, NP-37-1993 No 1906, 27 p., Gatchina, 1993.
- [32] S. I. Manayenkov: Elastic $p - {}^4\text{He}$ scattering at intermediate energies (in Russian), proceedings of the National conference on physics of few-body and quark-hadronic systems, Kharkov, June 1-5 1992, p.269-272, ed. by V. Boldyshev, V. Kotlar, A. Shebeko, KFTI, Kharkov, 1994.
- [33] N. P. Aleshin, S. L. Belostotsky, O. G. Grebenyuk, V. A. Gordeev, E. N. Komarov, L. M. Kochenda, V. I. Lasarev, S. I. Manayenkov, O. V. Miklukho, V. V. Nelyubin, V. N. Nikulin, O. E. Prokofiev, V. V. Sulimov, V. V. Vikhrov: Study of the deuteron

structure in quasi-elastic breakup reaction $p\ d \rightarrow p\ p\ n$ at 1 GeV, *Nucl. Phys.* **A568** (1994) 809-827.

- [34] S. L. Belostotsky, S. I. Manayenkov, M. G. Ryskin: Study of parton spin-dependent distributions in hard proton-proton collisions through measurement of handedness *Z. Phys.* **C63** (1994) 477-484.
- [35] B. I. Ermolaev, S. I. Manayenkov, M. G. Ryskin: Non-singlet structure functions at small x , Preprint DESY-95-017, 18 p., Hamburg, 1995 (hep-ph/9502262).
- [36] A. A. Jgoun, S. I. Manayenkov, M. G. Ryskin: Probing spin-dependent parton distributions through polarization measurements in $P + \bar{P} \rightarrow \Lambda^0(\bar{\Lambda}^0) + X$, proceedings of the 2nd meeting held at Zeuthen, August 31- September 1, 1995, p. 149-165.
- [37] B. I. Ermolaev, S. I. Manayenkov, M. G. Ryskin: Small- x behaviour of non-singlet structure functions, *Z. Phys.* **C69** (1996) 259-267.
- [38] S. L. Belostotski, G. E. Gavrilov, O. G. Grebenyuk, A. A. Izotov, A. A. Jgoun, A. Yu. Kisselev, A. G. Krivshich, S. I. Manayenkov, O. V. Miklukho, Yu. G. Naryshkin, V. V. Vikhrov: HERMES experiment at HERA collider, 1994 – 1995 PNPI Research Report, p. 28-30, Gatchina, 1996.
- [39] S. I. Manayenkov: Analytical solution of the double-logarithmic integral equation with QCD running coupling, 1994-1995 PNPI Research Report, p.122-124, Gatchina, 1996.
- [40] S. I. Manayenkov: Small- x behaviour of the non-singlet structure function in perturbative QCD (in Russian), *Yad. Fiz.* **60** (1997) 915-924 (english translation in Physics of Atomic Nuclei **60** (1997) 819-827).
- [41] S. I. Manayenkov: Physical potential of semi-inclusive K_S^0 , Λ^0 , $\bar{\Lambda}^0$ production in eN deep inelastic scattering, PNPI preprint, No 2166, NP-23-1997, 38 p., Gatchina, 1997.
- [42] S. I. Manayenkov: Analytical solution of the double-logarithmic integral equation with QCD running coupling *Z. Phys.* **C75** (1997) 685-692.
- [43] S. I. Manayenkov, M. G. Ryskin: Infrared contribution to the double-logarithmic small-x asymptotics of structure functions, Proceedings of YII Workshop on High Energy Spin Physics, p. 119–128, Dubna, July 7 – 12, 1997.
- [44] K. Ackerstaff, A. Airapetian, I. Akushevich et al. (HERMES Coll.): Measurement of the neutron spin structure function g_1^n with a polarized ${}^3\text{He}$ internal target, *Phys. Lett.* **B404** (1997) 383-389, Preprint DESY-97-085, March 1997 (hep-ex/9703005).
- [45] S. I. Manayenkov, M. G. Ryskin: Infrared contribution to the double-logarithmic small-x asymptotics of structure functions *Eur. Phys. J C1/2* (1998) 271-283.

- [46] G. N. Velichko, A. A. Vorobyov, G. A. Korolev, S. I. Manayenkov, A. V. Khanzadeev: Elastic diffraction scattering of hadrons on the lightest nuclei, PNPI XXY, Main Scientific Activities 1971 –1996, p.162-171, Gatchina, 1998.
- [47] S. L. Belostotski, G. E. Gavrilov, O. G. Grebenyuk, A. A. Izotov, A. A. Jgoun, A. Yu. Kisseelev, A. G. Krivshich, S. I. Manayenkov, O. V. Miklukho, Yu. G. Naryshkin, V. V. Vikhrov: HERMES experiment at HERA collider, 1996 – 1997 PNPI Research Report, p. 42-45, Gatchina, 1998.
- [48] K. Ackerstaff, A. Airapetian, N. Akopov et al. (HERMES Coll.): The HERMES spectrometer, *Nucl. Instr. and Meth.* **A417** (1998) 230-265 (hep-ex/9806008).
- [49] K. Ackerstaff, A. Airapetian, N. Akopov et al. (HERMES Coll.): Flavor asymmetry of the light quark sea from semi-inclusive deep-inelastic scattering, *Phys. Rev. Lett.* **81** (1998) 5519-5523, Preprint DESY-98-078, July 1998 (hep-ex/9807013).
- [50] A. Airapetian, N. Akopov, M. Amarian et. al. (HERMES Coll.): Measurement of the proton spin structure function g_1^p with a pure hydrogen target, *Phys. Lett.* **B442** (1998) 484-492, Preprint DESY-98-072, July 1998 (hep-ex/9807015).
- [51] K. Ackerstaff, A. Airapetian, N. Akopov et al. (HERMES Coll.): Determination of the deep inelastic contribution to the generalised Gerasimov-Drell-Hearn integral for the proton and neutron, *Phys. Lett.* **B444** (1998) 531-538, Preprint DESY-98-122, September 1998 (hep-ex/9809015).
- [52] S. I. Manayenkov: Regge description of spin-spin asymmetry in photon diffractive dissociation, Preprint DESY-99-016, February 1999, 43 p. (hep-ph/9903405).
- [53] S. I. Manayenkov: Regge description of spin-spin asymmetry in photon diffractive dissociation, DESY-PROC-1999-03, p. 405-408, September 1999, Proceedings of the Workshop "Polarized Protons at High Energies - Accelerator Challenges and Physics Opportunities", DESY, 17-20 May 1999.
- [54] A. Airapetian, N. Akopov, M. Amarian et al. (HERMES Coll.): Measurement of longitudinal spin transfer to Λ hyperons in deep-inelastic lepton scattering, *Phys. Rev.* **D64** (2001) 112005; Preprint DESY-99-151, November 1999, 12 p. (hep-ex/9911017).
- [55] K. Ackerstaff, A. Airapetian, N. Akopov et al. (HERMES Coll.): Beam-induced nuclear depolarization in a gaseous polarized hydrogen target, *Phys. Rev. Lett.* **82** (1999) 1164-1168, Preprint DESY-98-058, June 1998, 6p.
- [56] S. I. Manayenkov: Regge description of spin-spin asymmetry in photon diffractive dissociation, *Czech. J. Phys.* **50** (2000) Supplement, S1, 117-122.
- [57] S. I. Manayenkov: New Method for Data Treating in Polarization Measurements, Preprint PNPI, No 2362, June 2000, 49 p. (hep-ex/0006001).

- [58] A. A. Jgoun, S. I. Manayenkov: Relative yields of K_S^0 in semi-inclusive deep inelastic positron scattering on ${}^1\text{H}$, ${}^2\text{H}$ nuclei, PNPI preprint, No 2387, September 2000, 42 pp.
- [59] K. Ackerstaff, A. Airapetian, N. Akopov, M. Amarian et al. (HERMES Coll.): Measurement of angular distributions and $R = \sigma_L/\sigma_T$ in diffractive electroproduction of ρ^0 mesons, *Eur. Phys. J. C***18** (2000) 303-316. hep-ex/0002016.
- [60] A. Airapetian, N. Akopov, M. Amarian et al. (HERMES Coll.): Measurement of longitudinal spin transfer to Λ hyperons in deep-inelastic lepton scattering, *Phys. Rev. D***64** (2001) 112005; hep-ex/9911017, Preprint DESY-99-151.
- [61] G. Gavrilov, E. Kuznetsova, S. Manayenkov: Anode Wire Heating due to Avalanche Discharge, PNPI Preprint, No 2441, October 2001, 10 pp.
- [62] A. A. Jgoun, S. I. Manayenkov: Dependence of mean transverse momentum of leading hadrons on kinematic variables of hadron production in deep inelastic positron-nucleon scattering (in Russian), PNPI preprint, No 2448, November 2001, 28 pp.
- [63] S. I. Manayenkov: New Method for Data Treating in Polarization Measurements, *Czech. J. Phys. C***52** (2002) Supplement, C655-C662.
- [64] S. I. Manayenkov: On Probability properties of polarization observables, proceedings of IX Workshop on High Energy Spin Physics (SPIN-01), Dubna, August 2-7, 2001, ed. by A.V.Efremov and O.V.Teryaev, Dubna, 2002.
- [65] S. I. Manayenkov: New Method for Data Processing in Polarization Measurements, *NIM A***502** (2003) pp. 772-774.
- [66] S. I. Manayenkov: Leptoproduction of ρ mesons within Regge approach, *EPJ C***33** (2004) pp. 397-408.
- [67] S. I. Manayenkov: New Method for Data Treatment in Polarization Measurements, *NIM A***530** (2004) pp. 541-558.
- [68] A. Airapetian, N. Akopov, M. Amarian et al. (HERMES Coll.): Longitudinal Spin Transfer to the Lambda Hyperon in Semi-Inclusive Deep-Inelastic Scattering, *Phys. Rev. D***74** (2006) p. 072004, 11 pp; Eprint numbers: hep-ex/0607004 and Preprint DESY-06-100.
- [69] S. I. Manayenkov: Study of spin density matrix in exclusive diffractive ρ^0 meson production at HERMES, *Nucl. Phys.(Proc. Suppl.) B***174** (2007) p. 63-66
- [70] A. Airapetian et al. (HERMES Coll.): Spin Density Matrix Elements in Exclusive ρ^0 Electroproduction on ${}^1\text{H}$ and ${}^2\text{H}$ Targets at 27.6 GeV Beam Energy, *Eur. Phys. J. C***62** (2009) p.659-694; (DOI: 10.1140/epjc/s10052-009-1082-3; arXiv: hep-ex 0901.0701), Preprint DESY-08-203.

- [71] A. Airapetian et al. (HERMES Coll.): Exclusive ρ^0 Electroproduction on Transversely Polarized Protons, *Phys. Lett.* **B679** (2009) p. 100-105; (arXiv: hep-ex 0906.5160), Preprint DESY-09-094.
- [72] A. Airapetian et al. (HERMES Coll.): Observation of the Naive-T-odd Sivers Effect in Deep-Inelastic Scattering *Phys. Rev. Lett.* **103** (2009) p. 152002; (arXiv: hep-ex 0906.3918), Preprint DESY-09-089.
- [73] A. Airapetian et al. (HERMES Coll.): Separation of contributions from deeply virtual Compton scattering and its interference with the Bethe-Heitler process in measurements on a hydrogen target, *JHEP* **0911** (2009) p. 083; (arXiv: 0909.3587 [hep-ex]), Preprint DESY-09-143.
- [74] A. Airapetian et al. (HERMES Coll.): Single-spin azimuthal asymmetry in exclusive electroproduction of π^+ mesons on transversely polarized protons, *Phys. Lett.* **B682** (2010) p. 345-350; (arXiv: hep-ex/0907.2596), Preprint DESY-09-106.
- [75] A. Airapetian et al. (HERMES Coll.): Transverse momentum broadening of hadrons produced in semi-inclusive deep-inelastic scattering on nuclei, *Phys. Lett.* **B684** (2010) p. 114-118; Eprint numbers: arXiv: 0906.2478 [hep-ex]; Preprint DESY-09-082.
- [76] A. Airapetian et al. (HERMES Coll.): Nuclear-mass dependence of azimuthal beam-helicity and beam-charge asymmetries in deeply virtual Compton scattering, *Phys. Rev.* **C81** (2010) p. 035202; (arXiv: 0911.0091 [hep-ex]); Preprint DESY-09-190.
- [77] A. Airapetian et al. (HERMES Coll.): Separation of contributions from deeply virtual Compton scattering and its interference with the Bethe-Heitler process in measurements on a hydrogen target, *JHEP* **0911** (2009) p. 83; (arXiv: 0909.3587 [hep-ex]); Preprint DESY-09-143.
- [78] S. I. Manayenkov: Exclusive electroproduction of ρ^0 , ϕ , and ω mesons at HERMES, Proceedings of XIII Advanced Research Workshop on High Energy Spin Physics (DSPIN-09), Dubna, September 1-5, 2009, Ed. by A.V.Efremov and S.V.Goloskokov, Dubna, 2010, pp. 239-243.
- [79] A. Airapetian et al. (HERMES Coll.): Single-spin azimuthal asymmetry in exclusive electroproduction of π^+ mesons on transversely polarized protons, *Phys. Lett.* **B682** (2010) 345-350, (arXiv: hep-ex/0907.2596), Preprint DESY-09-106.
- [80] A. Airapetian et al. (HERMES Coll.): Measurement of azimuthal asymmetries associated with deeply virtual Compton scattering on an unpolarized deuterium target, *Nucl. Phys.* **B829** (2010) 1-27; (arXiv: hep-ex/0911.0095), Preprint DESY-09-189.
- [81] A. Airapetian et al. (HERMES Coll.): Effects of transversity in deep-inelastic scattering by polarized protons, *Phys. Lett.* **B693** (2010) 11-16; (arXiv: hep-ex/1006.4221), Preprint DESY-10-087.

- [82] A. Airapetian et al. (HERMES Coll.): Exclusive leptonproduction of real photons on a longitudinally polarized hydrogen target, *JHEP* **06** (2010) p. 019; (arXiv: hep-ex/1004.0177), Preprint DESY-10-046.
- [83] S. I. Manayenkov: Invariant amplitudes of natural parity exchanges in electroproduction of vector mesons on nucleons, PNPI Preprint, No 2856, December 2010, 67 pp.
- [84] S. Manaenkov: Direct extraction of helicity amplitude ratios in exclusive ρ^0 electroproduction, XYIII International Workshop on Deep-Inelastic Scattering and Related Subjects, April 19-23, 2010, Convitto della Calza, Firenze, Italy; <http://pos.sissa.it>; Pos (DIS 2010) 079 .
- [85] A. Airapetian et al. (HERMES Coll.): Measurement of azimuthal asymmetries associated with deeply virtual Compton scattering on a longitudinally polarized deuterium target, *Nucl. Phys.* **B842** (2011) 265-298; (arXiv: hep-ex/1008.3996), Preprint DESY-10-136.
- [86] A. Airapetian et al. (HERMES Coll.): Ratios of Helicity Amplitudes for Exclusive ρ^0 Electroproduction, *Eur. Phys. J.* **C71** (2011) p.1609; (DOI: 10.1140/epjc/s10052-011-1609-2; arXiv: hep-ex/1012.3676), Preprint DESY-10-229.
- [87] A. Airaptian et al. (HERMES Coll.): Measurement of double-spin asymmetries associated with deeply virtual Compton scattering on a transversely polarized hydrogen target, *Phys. Lett.* **B704** (2011) 15-23; (arXiv: hep-ex/1106.2990); Preprint DESY-11-100.
- [88] A. Airapetian et al. (HERMES Coll.): Inclusive measurements of inelastic electron and positron scattering from unpolarized hydrogen and deuterium targets, *JHEP* **05** (2011) p. 126; (arXiv: hep-ex/1103.5704), Preprint DESY-11-048.
- [89] A. Airapetian et al. (HERMES Coll.): Multidimensional study of hadronization in nuclei, *Eur. Phys. J.* **A47** (2011) p. 113; (arXiv: hep-ex/1107.3496) and Preprint DESY-11-120.
- [90] S. I. Manayenkov: Helicity and invariant amplitudes for exclusive vector-meson electroproduction, Proceedings of the XIY Advanced Research Workshop on High Energy Spin Physics (DSPIN-11, Dubna, September 20-24, 2011) Ed. by A.V.Efremov and S.V.Goloskokov, Dubna, 2012, pp. 83-86.
- [91] A. Airapetian et al. (HERMES Coll.): Measurement of the virtual-photon asymmetry A_2 and the spin-structure function g_2 of the proton, *Eur. Phys. J.* **C72** (2012) p. 1921; (arXiv: hep-ex/1112.5584); Preprint DESY-11-249.
- [92] A. Airapetian et al. (HERMES Coll.): Beam-helicity and beam-charge asymmetries associated with deeply virtual Compton scattering on the unpolarized proton, *JHEP* **1207** (2012) 032; (arXiv: hep-ex/1203.6287), Preprint DESY-12-040.

- [93] A. Airapetian et al. (HERMES Coll.): Beam-helicity asymmetry arising from deeply virtual Compton scattering measured with kinematically complete event reconstruction, *JHEP* **1210** (2012) 042; (arXiv:hep-ex/1206.5683); Preprint DESY-12-095.
- [94] A. Airapetian et al. (HERMES Coll.): Azimuthal distributions of charged hadrons, pions, and kaons produced in deep-inelastic scattering off unpolarized protons and deuterons, *Phys. Rev.* **D87** (2013) 1, 012010; (arXiv: hep-ex/1204.4161); Preprint DESY-12-060.
- [95] A. Airapetian et al. (HERMES Coll.): Multiplicities of charged pions and kaons from semi-inclusive deep-inelastic scattering by the proton and the deuteron, *Phys. Rev.* **D87** (2013) 074029; (arXiv: hep-ex/1212.5407); Preprint DESY-12-157.
- [96] A. Airapetian et al. (HERMES Coll.): Transverse target single-spin asymmetry in inclusive electroproduction of charged pions and kaons, *Phys. Lett.* **B728** (2014) 183-190; (arXiv:hep-ex/1310.5070); Preprint DESY-13-187.
- [97] A. Airapetian et al. (HERMES Coll.): Reevaluation of the parton distribution of strange quarks in the nucleon, *Phys. Rev.* **D89** (2014) 9, 097101; (arXiv: hep-ex/1312.7028); Preprint DESY-13-246.
- [98] A. Airapetian et al. (HERMES Coll.): Transverse polarization of Λ hyperons from quasireal photoproduction on nuclei, *Phys. Rev.* **D90** (2014) 7, 072007; (arXiv: hep-ex/1406.3236); Preprint DESY-14-097.
- [99] A. Airapetian et al. (HERMES Coll.): Spin density matrix elements in exclusive omega electroproduction on ^1H and ^2H targets at 27.6 GeV beam energy, *Eur. Phys. J.* **C74** (2014) p. 3110; (DOI 10.1140/epjc/s10052-014-3110-1); (arXiv:hep-ex/1407.2119) and Preprint DESY-14-116; Erratum *Eur. Phys. J.* .
- [100] N. Akopov et al. (HERMES Coll.): Pentaquark Θ^+ search at HERMES, *Phys. Rev.* **D91** (2015) p. 057101; (arXiv: hep-ex/1412.7317); Preprint DESY-14-245.
- [101] S. I. Manayenkov: Radiation of electromagnetic waves by a dipole in an external uniform electrostatic field, PNPI Report 2969, Gatchina, 2015, 39 pp.
- [102] A. Airapetian et al. (HERMES Coll.): Transverse-target-spin asymmetry in exclusive omega-meson electroproduction, *Eur. Phys. J.* **C75** (2015) p. 600; (arXiv:1508.07612) Preprint DESY-15-149.
- [103] B. Singh, W. Erni, I. Keshelashvili et al. (PANDA Coll.): Experimental access to Transition Distribution Amplitudes with the PANDA experiment at FAIR *Eur. Phys. J.* **A51** (2015) p. 107 (DOI 10.1140/epja/i2015-15107-y).
- [104] B. Singh, W. Erni, B. Krusche et al. (PANDA Coll.): Feasibility studies of time-like proton electromagnetic form factors at PANDA at FAIR *Eur. Phys. J.* **A52** (2016) p. 325.

- [105] B. Singh, W. Erni, B. Krusche et al. (PANDA Coll.): Study of double strange systems using stored antiprotons, *Nucl. Phys.* **A954** (2016) p. 323-340.
- [106] B. Singh, W. Erni, B. Krusche et al. (PANDA Coll.): Feasibility study for the measurement of πn transition distribution amplitudes at PANDA in $p \rightarrow J/\Psi\pi^0$, *Phys. Rev.* **D95** (2017) p. 032003.
- [107] Ratios of helicity amplitudes for exclusive ρ^0 electroproduction on transversely polarized protons, S. Manaenkov *EPJ Web Conf.* **138**, 08005 (2017).
- [108] A. Airapetian et al. (HERMES Coll.): Ratios of helicity amplitudes for exclusive ρ^0 electroproduction on transversely polarized protons, *Eur. Phys. J.* **C77** (2017) p. 378; June 8. (DOI 10.1140/epjc/s10052-017-4899-1) (arXiv:1702.00345) Preprint DESY-17-017.
- [109] S. I. Manaenkov: Radiation of electromagnetic waves by a dipole in an external uniform electrostatic field, *Phys. Part. Nuclei Lett.* **14** (2017) p. 44; (DOI 10.1134/S1547477117010186).
- [110] Extraction of helicity amplitude ratios from exclusive ρ^0 -meson electroproduction on transversely polarized protons, S.I. Manaenkov *Journal of Physics: Conference Series*, **938**, conference 1 (2018).
- [111] S. I. Manaenkov: Reissner – Nordström solution in tetrad representation as model for classical electron, PNPI Report 3019, Gatchina, 2018, 48 pp.
- [112] S. I. Manaenkov: Model for classical electron with finite mass and action, PNPI Report 3029, Gatchina, 2018, 56 pp.
- [113] A. Airapetian, N. Akopov, Z. Akopov et al. (HERMES Coll.): Longitudinal double-spin asymmetries in semi-inclusive deep-inelastic scattering of electrons and positrons by protons and deuterons, *Phys. Rev.* **99(11)** (2019) p. 112001; (arXiv:1810.07054) Preprint DESY-18-181, October 2018.
- [114] A. Airapetian, N. Akopov, Z. Akopov et al. (HERMES Coll.): Beam-helicity asymmetries for single-hadron production in semi-inclusive deep-inelastic scattering from unpolarized hydrogen and deuterium targets, *Phys. Lett.* **B797** (2019) p. 134886; (arXiv:1903.08544) Preprint DESY-19-040, March 2019.
- [115] S. I. Manaenkov: Model for classical electron with finite mass and action, *Phys. Part. Nuclei Lett.* **16** (2019) pp. 176-194 (DOI/10.1134/S1547477119030130); arXiv: 1901.09805 (physics.gen-ph).
- [116] G. Barucca, F. Davi, G. Lancioni, P. Mengucci, ..., S. Belostotski, G. Gavrilov, A. Izotov, S. Manaenkov, O. Miklukho, D. Veretennikov, A. Zhdanov, ..., et al. (PANDA Coll.): Precision resonance energy scans with the PANDA experiment at FAIR (Sensitivity study for width and line shape measurements of the X(3872)), *Eur. Phys. J.* **A55** (2019) p. 42;

- [117] A. Airapetian, N. Akopov, Z. Akopov et al. (HERMES Coll.): Beam-helicity asymmetries for single-hadron production in semi-inclusive deep-inelastic scattering from unpolarized hydrogen and deuterium targets, *Phys. Lett.* **B797** (2019) p. 134886; (arXiv:1903.08544) Preprint DESY-19-040.
- [118] S. I. Manaenkov: Role of Gravitation in Elementary Particle Structure, *Physics of Atomic Nuclei* **83** (2020) pp. 203-211 (DOI:10.1134/S1063778820020192).